

View Online at <https://aerobasegroup.com/nsn/5915-01-067-7261>

**Overall Height:**

0.930 inches

**Body Length:**

0.930 inches

**Body Width:**

0.505 inches

**Body Height:**

0.770 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.600 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.150 inches

**Operating Temperature Range:**

-46.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

70.09 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 terminal

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

60.09 megahertz blank and 70.00 megahertz blank and 70.19 megahertz blank and 80.09 megahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

70.00 megahertz blank and 70.19 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 1.0 blank and 1.0 blank and 60.0 blank

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0