# NSN 5915-01-068-2540

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-068-2540

# Overall Height:

- 1.262 inches
- **Body Length:**
- 2.625 inches

## Body Width:

1.750 inches

#### **Body Height:**

#### 0.995 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

#### 2.100 inches

## Vibration Resistance Range In Hertz:

## +10.0/+2000.0

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

#### **Operating Tempurature Range:**

## -55.0/+85.0 degrees celsius

#### **Reference Frequency Per Function:**

90.0 hertz blank

#### Input Impedance Per Function W/load:

1.0 kilohms blank

## Output Impedance Per Function W/source Across Input:

1.0 kilohms blank

## Principal Circuitry Type Per Function:

Inductance-capacitance-resistance blank

## Mounting Facility Screw Thread Series Designator:

Unc

#### Inclosure Type:

Hermetically sealed

## Mounting Facility Type And Quantity:

2 threaded hole

## Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

# Functional Terminal Type And Quantity:

5 pin output 2nd function

# Specified Frequencies Of Discrimination Per Function:

45.00 hertz blank and 85.00 hertz blank and 95.00 hertz blank and 300.00 hertz blank

# Thread Size:

0.112 inches

# **Body Material:**

Metal

# Frequency Band Width Per Function:

85.00 hertz blank and 95.00 hertz blank

# NSN 5915-01-068-2540

Band Pass Filter - Page 2 of 2



#### Discrimination At Specificationified Frequencies Per Function In Decibels:

16.0 blank and 1.0 blank and 1.0 blank and 16.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A047b0