## NSN 5915-01-068-6409

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-068-6409 **Overall Height:** 3.843 inches **Body Length:** 1.781 inches **Body Width:** 1.781 inches **Body Height:** 3.531 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.250 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Operating Tempurature Range:** -0.0/+75.0 degrees celsius **Reference Frequency Per Function:** 214.0 kilohertz blank **Source Impedance Rating Per Function:** 10.0 kilohms blank **Load Impedance Per Function:** 10.0 kilohms blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank **Functional Terminal Type And Quantity:** 1 pin output 2nd function **Specified Frequencies Of Discrimination Per Function:** 202.00 kilohertz blank and 213.00 kilohertz blank and 215.00 kilohertz blank and 225.00 kilohertz blank **Thread Size:** 0.138 inches **Body Material:** Metal

#### **Frequency Band Width Per Function:**

213.00 kilohertz blank and 215.00 kilohertz blank

#### Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 4.5 blank and 4.5 blank and 40.0 blank

### **Maximum Dielectric Withstanding Dc Voltage:**

100.0 volts at sea level

# NSN 5915-01-068-6409

Band Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0