## NSN 5915-01-070-8377

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-070-8377

0
Overall Length:
2.875 inches
Body Length:
2.250 inches
Body Width:
0.600 inches
Body Height:
0.600 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.600 inches
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Operating Tempurature Range:
-55.0/+100.0 degrees celsius
Reference Frequency Per Function:
100.5 hertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 captive screws
Insertion Loss At Reference Frequency Per Function In Decibels:
2.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 200.00 hertz blank and 2.50 kilohertz blank and 5.00 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
1.00 hertz blank and 200.00 hertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

Style Designator:

Rectangular terminal/terminals on opposite surfaces

2.0 blank and 2.0 blank and 125.0 blank and 135.0 blank

## NSN 5915-01-070-8377

Low Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0