

View Online at <https://aerobasegroup.com/nsn/5915-01-071-5852>

Overall Height:

0.650 inches

Body Length:

4.100 inches

Body Width:

0.500 inches

Body Height:

0.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.840 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.220 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

240.0 megahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Mounting Facility Screw Thread Series Designator:

Unc or unf

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

6 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

Functional Terminal Type And Quantity:

1 solder stud input 1st function

Specified Frequencies Of Discrimination Per Function:

90.00 megahertz blank and 390.00 megahertz blank

Thread Size:

0.086 inches

Frequency Band Width Per Function:

190.00 megahertz blank and 290.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

210.0 megahertz blank and 270.0 megahertz blank

Special Features:

Item also contains threadsize of 0.060 in. For the thread series nf

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0