

View Online at <https://aerobasegroup.com/nsn/5915-01-076-7040>

**Body Length:**

Between 5.480 inches and 5.520 inches

**Body Width:**

Between 4.750 inches and 4.790 inches

**Body Height:**

Between 0.860 inches and 0.900 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.182 inches and 0.192 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 5.195 inches and 5.205 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 4.465 inches and 4.475 inches

**Reference Frequency Per Function:**

40.0 megahertz blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:**

3.1 blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

2 connector, receptacle input-output/ground

**Specified Frequencies Of Discrimination Per Function:**

580.00 megahertz blank and 820.00 megahertz blank

**Frequency Band Width Per Function:**

580.00 megahertz blank and 820.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

40.0 megahertz blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

81349-mil-std-810 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0