

View Online at <https://aerobasegroup.com/nsn/5915-01-076-9099>

Overall Length:

3.500 inches

Body Outside Diameter:

0.375 inches

Operating Temperature Range:

-40.0/+160.0 degrees fahrenheit

Reference Frequency Per Function:

200.0 megahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Input Terminal Manufacturer Code:

15942

Input Terminal Identification:

Smc-male

Output Terminal Manufacturer Code:

15942

Output Terminal Identification:

Smc-male

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

100.00 megahertz blank and 199.75 megahertz blank and 200.25 megahertz blank and 300.00 megahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

199.75 megahertz blank and 200.25 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 1.0 blank and 1.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

199.75 megahertz blank and 200.25 megahertz blank

Body Surface Treatment:

Gold

Unpackaged Unit Weight:

4.000 ounces

Precious Material And Location:

External surfaces gold

Precious Material:

Gold

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0