

View Online at <https://aerobasegroup.com/nsn/5915-01-079-0385>

Overall Length:

13.000 inches

Body Length:

11.000 inches

Body Width:

5.000 inches

Unthreaded Mounting Hole Diameter:

Between 0.216 inches and 0.226 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

12.200 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.800 inches

Reference Frequency Per Function:

354.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.6 blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

4.5 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

350.75 megahertz blank and 353.265 megahertz blank and 354.735 megahertz blank and 357.25 megahertz blank

Frequency Band Width Per Function:

353.265 megahertz blank and 354.735 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 1.0 blank and 1.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

353.6 megahertz blank and 354.4 megahertz blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0