

View Online at <https://aerobasegroup.com/nsn/5915-01-079-9604>

Body Length:

8.344 inches

Body Width:

2.812 inches

Body Height:

5.438 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

7.344 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

4.438 inches

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

70.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.5 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 megahertz blank and 69.60 megahertz blank and 70.40 megahertz blank and 140.80 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

69.60 megahertz blank and 70.40 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

48.0 blank and 3.0 blank and 3.0 blank and 48.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

69.6 megahertz blank and 70.4 megahertz blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0