NSN 5915-01-086-6457

Band Pass Filter - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5915-01-086-6457

| Overall Height: 3.690 inches Body Length: 5.680 inches Body Width: 2.160 inches Body Height: |
|---|
| Body Length: 5.680 inches Body Width: 2.160 inches |
| 5.680 inches Body Width: 2.160 inches |
| Body Width: 2.160 inches |
| 2.160 inches |
| |
| Body Height: |
| |
| 3.100 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 2.840 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 1.000 inches |
| Reference Frequency Per Function: |
| 14.5 megahertz blank |
| Source Impedance Rating Per Function: |
| 50.0 ohms blank |
| Load Impedance Per Function: |
| 50.0 ohms blank |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 3 threaded hole |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 2.5 blank |
| Functional Terminal Type And Quantity: |
| 1 tab, solder lug output 2nd function |
| Specified Frequencies Of Discrimination Per Function: |
| 10.50 megahertz blank and 12.50 megahertz blank and 16.50 megahertz blank and 18.50 megahertz blank |
| Thread Size: |
| 0.164 inches |
| Body Material: |
| Metal |
| Frequency Band Width Per Function: |
| 12.50 megahertz blank and 16.50 megahertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 3.0 blank and 40.0 blank and 40.0 blank and 3.0 blank |
| Style Designator: |
| Rectangular terminal/terminals on one surface |
| Shelf Life: |

NSN 5915-01-086-6457

Band Pass Filter - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A047b0