NSN 5915-01-089-0705

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-089-0705

Overall Height:
0.277 inches
Body Length:
0.760 inches
Body Width:
0.460 inches
Body Height:
0.265 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.600 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.300 inches
Operating Tempurature Range:
-55.0/+105.0 degrees celsius
Reference Frequency Per Function:
5.0 megahertz blank
Source Impedance Rating Per Function:
200.0 ohms blank
Load Impedance Per Function:
200.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 terminal
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 5.00 megahertz blank and 7.50 megahertz blank and 10.00 megahertz blank
Body Material:
Metal
Frequency Band Width Per Function:
1.00 hertz blank and 5.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 30.0 blank

10.000 grams

Style Designator:

Unpackaged Unit Weight:

Rectangular terminal/terminals on one surface

NSN 5915-01-089-0705

Low Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0