NSN 5915-01-090-1589

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-090-1589

Overall Height:
0.700 inches
Body Length:
2.050 inches
Body Width:
2.158 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.875 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.127 inches
Operating Tempurature Range:
-54.0/+110.0 degrees celsius
Reference Frequency Per Function:
502.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.4 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
8 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.9 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
150.00 megahertz blank and 395.00 megahertz blank and 620.00 megahertz blank and 3.00 gigahertz blank
Thread Size:
0.086 inches
Body Material:
Metal
Frequency Band Width Per Function:
395.00 megahertz blank and 620.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
40.0 blank and 1.0 blank and 1.0 blank and 40.0 blank

395.0 megahertz blank and 620.0 megahertz blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

NSN 5915-01-090-1589

Band Pass Filter - Page 2 of 2



Style	De	sia	nato	r:
	-	v.9		

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0