

View Online at <https://aerobasegroup.com/nsn/5915-01-090-1589>

**Overall Height:**

0.700 inches

**Body Length:**

2.050 inches

**Body Width:**

2.158 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.875 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.127 inches

**Operating Temperature Range:**

-54.0/+110.0 degrees celsius

**Reference Frequency Per Function:**

502.0 megahertz blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:**

1.4 blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

8 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.9 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

150.00 megahertz blank and 395.00 megahertz blank and 620.00 megahertz blank and 3.00 gigahertz blank

**Thread Size:**

0.086 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

395.00 megahertz blank and 620.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 blank and 1.0 blank and 1.0 blank and 40.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

395.0 megahertz blank and 620.0 megahertz blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0