

View Online at <https://aerobasegroup.com/nsn/5915-01-092-7780>

Overall Length:

Between 0.560 inches and 0.580 inches

Overall Height:

Between 1.041 inches and 1.091 inches

Body Length:

Between 0.350 inches and 0.430 inches

Body Width:

Between 2.800 inches and 2.820 inches

Body Height:

Between 0.743 inches and 0.753 inches

Vibration Resistance Range In Hertz:

+5.0/+200.0

End Application:

5895-01-056-0867 electronic comp

Reference Frequency Per Function:

630.0 megahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Output Terminal Manufacturer Code:

80063

Output Terminal Identification:

Sma-female receptacle

Voltage Standing Wave Ratio Per Function:

1.75 blank

Average Power Rating Per Function:

0.1 watts blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

5.5 blank

Specified Frequencies Of Discrimination Per Function:

540.00 megahertz blank and 622.50 megahertz blank and 637.50 megahertz blank and 720.00 megahertz blank

Thread Size:

0.086 inches

Frequency Band Width Per Function:

622.50 megahertz blank and 637.50 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

80.0 blank and 3.0 blank and 3.0 blank and 80.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

622.5 megahertz blank and 637.5 megahertz blank

Unpackaged Unit Weight:

2.500 ounces

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0