NSN 5915-01-093-6413

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-093-6413

Overall Height:
0.505 inches
Body Length:
1.500 inches
Body Width:
0.690 inches
Body Height:
0.380 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.380 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.564 inches
Operating Tempurature Range:
-45.0/+71.0 degrees celsius
Reference Frequency Per Function:
390.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
2.5 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
300.00 megahertz blank and 372.00 megahertz blank and 408.00 megahertz blank and 550.00 megahertz blank
Thread Size:
0.086 inches
Body Material:
Metal
Frequency Band Width Per Function:
372.00 megahertz blank and 408.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 40.0 blank

NSN 5915-01-093-6413

Band Pass Filter - Page 2 of 2



Voltage Standing Wave Ratio Frequency Limits Per Function:

372.0 megahertz blank and 408.0 megahertz blank

Unpackaged Unit Weight:

0.120 pounds

Precious Material And Location:

Mounting surface silver

Precious Material:

Silver

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A047b0