

View Online at <https://aerobasegroup.com/nsn/5915-01-095-4688>

**Overall Length:**

2.300 inches

**Overall Height:**

0.250 inches

**Body Length:**

1.800 inches

**Body Width:**

0.750 inches

**Unthreaded Mounting Hole Diameter:**

0.106 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.050 inches

**Vibration Resistance Range In Hertz:**

+5.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.500 inches

**Operating Temperature Range:**

+0.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

960.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Input Terminal Manufacturer Code:**

07397

**Input Terminal Identification:**

Solder lug

**Output Terminal Manufacturer Code:**

07397

**Output Terminal Identification:**

Solder lug

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Average Power Rating Per Function:**

2.0 watts blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

5.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

602.00 megahertz blank and 718.00 megahertz blank and 1.20 gigahertz blank and 1.32 gigahertz blank

**Body Material:**

Aluminum

**Frequency Band Width Per Function:**

718.00 megahertz blank and 1.20 gigahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

718.0 megahertz blank and 1.2 gigahertz blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0