## NSN 5915-01-096-8857

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-096-8857

Overall Length:
5.770 inches
Overall Height:
2.000 inches
Body Length:
4.250 inches
Body Width:
1.680 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.120 inches
Operating Tempurature Range:
-10.0/+75.0 degrees celsius
Reference Frequency Per Function:
312.5 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.3 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.4 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
225.00 megahertz blank and 400.00 megahertz blank and 450.00 megahertz blank and 475.00 megahertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:
225.00 megahertz blank and 400.00 megahertz blank

1.0 blank and 1.0 blank and 53.0 blank and 53.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

## NSN 5915-01-096-8857

Low Pass Filter - Page 2 of 2



	Voltage St	tanding Wav	e Ratio Freq	uency Limits	Per Function:
--	------------	-------------	--------------	--------------	---------------

225.0 megahertz blank and 400.0 megahertz blank

**Style Designator:** 

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A047b0