

View Online at <https://aerobasegroup.com/nsn/5915-01-097-1821>

Overall Length:

3.000 inches

Body Outside Diameter:

0.500 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Operating Temperature Range:

-54.0/+125.0 degrees celsius

Reference Frequency Per Function:

160.5 megahertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Input Terminal Manufacturer Code:

04423

Input Terminal Identification:

Ss

Output Terminal Manufacturer Code:

04423

Output Terminal Identification:

Ss

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

15.0 watts blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

2.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 megahertz blank and 320.00 megahertz blank and 640.00 megahertz blank and 1.70 gigahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

1.00 megahertz blank and 320.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

2.0 blank and 2.0 blank and 40.0 blank and 40.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 megahertz blank and 320.0 megahertz blank

Unpackaged Unit Weight:

8.000 ounces

Precious Material And Location:

External surfaces silver

Precious Material:

Silver

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0