NSN 5915-01-098-8443

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-098-8443

view Offiline at https://derobasegroup.com/nsi//0910-01-090-0440
Overall Length:
6.062 inches
Overall Height:
2.187 inches
Body Length:
5.609 inches
Body Width:
1.250 inches
Body Height:
1.812 inches
Unthreaded Mounting Hole Diameter:
Between 0.098 inches and 0.100 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
5.781 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Operating Tempurature Range:
-40.0/+100.0 degrees celsius
Reference Frequency Per Function:
51.5 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.8 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
50.10 megahertz blank and 53.00 megahertz blank and 60.10 megahertz blank and 90.00 megahertz blank
Body Material:
Metal
Frequency Band Width Per Function:
50.10 megahertz blank and 53.00 megahertz blank

 $\label{lem:proposed_prop} \textbf{Discrimination At Specificationified Frequencies Per Function In Decibels:}$

1.0 blank and 1.0 blank and 50.0 blank and 50.0 blank

NSN 5915-01-098-8443

Low Pass Filter - Page 2 of 2



Special	Features:
---------	-----------

Four 4-40nc-2b captive screws in mtg holes

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A047b0