## NSN 5915-01-101-0817

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-101-0817

## **Overall Height:**

0.569 inches

### **Body Length:**

2.250 inches

## Body Width:

0.800 inches

#### **Body Height:**

### 0.525 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.300 inches

### **Operating Tempurature Range:**

-54.0/+125.0 degrees celsius

### **Reference Frequency Per Function:**

7.5 kilohertz blank

### Source Impedance Rating Per Function:

3.0 kilohms blank

### Load Impedance Per Function:

3.0 kilohms blank

## Mounting Facility Screw Thread Series Designator:

Unc

## Inclosure Type:

Hermetically sealed

## Mounting Facility Type And Quantity:

2 threaded stud

## Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

## Functional Terminal Type And Quantity:

2 pin ground 3rd function

## **Specified Frequencies Of Discrimination Per Function:**

1.00 kilohertz blank and 15.00 kilohertz blank and 250.00 kilohertz blank and 500.00 kilohertz blank

#### **Thread Size:**

0.112 inches

#### **Body Material:**

Metal

## Frequency Band Width Per Function:

1.00 kilohertz blank and 15.00 kilohertz blank

## Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 88.0 blank and 88.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

#### Shelf Life:

N/a

# NSN 5915-01-101-0817

Low Pass Filter - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A047b0

