

View Online at <https://aerobasegroup.com/nsn/5915-01-107-0356>

Overall Length:

247.0 millimeters

Body Length:

43.0 millimeters

Body Outside Diameter:

18.0 millimeters

Unthreaded Mounting Hole Diameter:

24.2 millimeters

Operating Temperature Range:

-25.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference

Load Impedance Per Function:

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference 50.0 ohms 3rd radio interference

Power Line Frequency Rating Per Function In Hertz:

50.0 1st radio interference 50.0 2nd radio interference 50.0 3rd radio interference

Operating Current Rating Per Function In Amps:

4.0 1st radio interference 4.0 2nd radio interference 4.0 3rd radio interference

Maximum Voltage Drop Per Function:

2.5 volts ac 1st radio interference 2.5 volts ac 2nd radio interference 2.5 volts ac 3rd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference inductance-capacitance 3rd radio interference

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 unthreaded hole

Functional Terminal Type And Quantity:

2 tab, solder lug input 1st function 1 tab, solder lug output 2nd function and 2 wire lead output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

Operating Voltage Rating And Type Per Function:

250.0 volts ac 1st radio interference 1st function 250.0 volts ac 2nd radio interference 2nd function 250.0 volts ac 3rd radio interference 3rd function

Body Material:

Metal

Special Features:

Three filtered functions

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0