NSN 5915-01-109-8472

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-109-8472

Overall Length:
5.500 inches
Body Length:
4.750 inches
Body Width:
2.000 inches
Body Height:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.000 inches
Reference Frequency Per Function:
8.4 gigahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Encased Mounting Facility Type And Quantity:
Mounting Facility Type And Quantity:
Mounting Facility Type And Quantity: 4 threaded hole
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels:
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity:
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function:
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size:
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size: 0.138 inches
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size: 0.138 inches Body Material:
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size: 0.138 inches Body Material: Metal
Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size: 0.138 inches Body Material: Metal Frequency Band Width Per Function:
 Mounting Facility Type And Quantity: 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank Functional Terminal Type And Quantity: 1 connector, receptacle output 2nd function Specified Frequencies Of Discrimination Per Function: 8.56 gigahertz blank and Thread Size: 0.138 inches Body Material: Metal Frequency Band Width Per Function: 8.56 gigahertz blank

8.56 gigahertz blank

NSN 5915-01-109-8472

Band Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0