

View Online at <https://aerobasegroup.com/nsn/5915-01-123-9518>

**Overall Length:**

6.188 inches

**Overall Height:**

2.188 inches

**Overall Width:**

3.750 inches

**Body Length:**

5.375 inches

**Body Width:**

3.000 inches

**Unthreaded Mounting Hole Diameter:**

0.186 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

5.594 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.031 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 1st radio interference 50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 1st radio interference 60.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

3.0 1st radio interference 3.0 2nd radio interference

**Maximum Voltage Drop Per Function:**

1.25 volts ac 1st radio interference 1.25 volts ac 2nd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 1st radio interference inductance-capacitance 2nd radio interference

**Maximum Temperature Rise:**

25.0 degrees celsius

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Features Provided:**

Magnetic case

**Functional Terminal Type And Quantity:**

2 turret input 1st function 2 turret output 2nd function

**Operating Voltage Rating And Type Per Function:**

125.0 volts ac 1st radio interference 1st function 125.0 volts ac 2nd radio interference 2nd function

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

250.0 volts at sea level

**Special Features:**

Two filtered functions

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0