## NSN 5915-01-126-4791

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-126-4791

Overall Height:
1.300 inches
Body Length:
4.000 inches
Body Width:
2.750 inches
Body Height:
0.800 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.400 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.150 inches
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Reference Frequency Per Function:
450.4 kilohertz blank
Source Impedance Rating Per Function:
2.0 kilohms blank
Load Impedance Per Function:
2.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
8.0 blank
Functional Terminal Type And Quantity:
2 pin input 1st function
Specified Frequencies Of Discrimination Per Function:
449.00 kilohertz blank and 450.25 kilohertz blank and 453.10 kilohertz blank and 453.55 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
450.25 kilohertz blank and 453.10 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 1.0 blank and 60.0 blank

## NSN 5915-01-126-4791

Band Pass Filter - Page 2 of 2



r:
r

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0