## NSN 5915-01-129-9710

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-129-9710 **Overall Length:** 0.750 inches **Body Length:** 0.281 inches **Body Outside Diameter:** 0.188 inches Vibration Resistance Range In Hertz: +10.0/+500.0 **Operating Tempurature Range:** -55.0/+85.0 degrees celsius **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Maximum Voltage Drop Per Function:** 3.5 volts dc blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Maximum Tempurature Rise:** 25.0 degrees celsius Full Load Insertion Loss Frequencies In Megahertz: 0.0 and 0.1 and 1.0 and 10.0 and 100.0 and 1000.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 3.0 and 35.0 and 40.0 and 50.0 and 60.0 and 80.0 **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 2 terminal **Functional Terminal Type And Quantity:** 1 pin output 2nd function **Operating Voltage Rating And Type Per Function:** 350.0 volts dc blank **Body Material:** Metal **Maximum Dielectric Withstanding Dc Voltage:** 1.15 kilovolts at sea level **Style Designator:** Round terminal/terminals on opposite surfaces Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5915-01-129-9710

Radio Frequency Interference Filter - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A047b0