NSN 5915-01-135-4772

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-135-4772

Overall Height:
0.475 inches
Body Length:
1.500 inches
Body Width:
0.688 inches
Body Height:
0.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.562 inches
Operating Tempurature Range:
-0.0/+70.0 degrees celsius
Reference Frequency Per Function:
100.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Average Power Rating Per Function:
1.0 watts blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
0.6 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
1.00 hertz blank and 200.00 megahertz blank and 1.00 gigahertz blank and 2.00 gigahertz blank
Thread Size:
0.086 inches
Frequency Band Width Per Function:
1.00 hertz blank and 200.00 megahertz blank

1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

NSN 5915-01-135-4772

Low Pass Filter - Page 2 of 2



Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 hertz blank and 200.0 megahertz blank

Unpackaged Unit Weight:

5.000 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0