

View Online at <https://aerobasegroup.com/nsn/5915-01-137-8750>

Overall Length:

4.100 inches

Body Outside Diameter:

0.500 inches

Vibration Resistance Range In Hertz:

+4.0/+50.0

Operating Temperature Range:

-40.0/+105.0 degrees celsius

End Application:

Ansrn19delt82

Reference Frequency Per Function:

1.08 gigahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

60.0 watts blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

0.6 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

215.00 megahertz blank and 864.00 megahertz blank and 1.296 gigahertz blank and 1.685 gigahertz blank

Body Material:

Aluminum

Frequency Band Width Per Function:

864.00 megahertz blank and 1.296 gigahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

886.0 megahertz blank and 1.274 gigahertz blank

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0