

View Online at <https://aerobasegroup.com/nsn/5915-01-138-1812>

**Overall Height:**

1.000 inches

**Body Length:**

4.000 inches

**Body Width:**

2.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.800 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.800 inches

**Reference Frequency Per Function:**

16.5 megahertz blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Input Terminal Manufacturer Code:**

60590

**Input Terminal Identification:**

Sma-receptacle

**Output Terminal Manufacturer Code:**

60590

**Output Terminal Identification:**

Sma-receptacle

**Voltage Standing Wave Ratio Per Function:**

1.3 blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.3 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

500.00 kilohertz blank and 1.00 megahertz blank and 32.00 megahertz blank and 50.00 megahertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 megahertz blank and 32.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

1.0 megahertz blank and 32.0 megahertz blank

**Precious Material And Location:**

Terminal surfaces gold

**Precious Material:**

Gold

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0