NSN 5915-01-138-9663

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-138-9663 **Overall Length:** 2.600 inches **Vibration Resistance Range In Hertz:** +5.0/+25.0 **Operating Tempurature Range:** -20.0/+75.0 degrees celsius **Reference Frequency Per Function:** 5.5 gigahertz blank **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Voltage Standing Wave Ratio Per Function:** 1.5 blank **Average Power Rating Per Function:** 50.0 watts blank **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 2 terminal Insertion Loss At Reference Frequency Per Function In Decibels: 0.3 blank **Functional Terminal Type And Quantity:** 1 connector, receptacle output 2nd function **Specified Frequencies Of Discrimination Per Function:** 500.00 megahertz blank and 10.50 gigahertz blank and 17.85 gigahertz blank and 26.00 gigahertz blank **Frequency Band Width Per Function:** 500.00 megahertz blank and 10.50 gigahertz blank Discrimination At Specificationified Frequencies Per Function In Decibels: 3.0 blank and 3.0 blank and 60.0 blank and 60.0 blank **Voltage Standing Wave Ratio Frequency Limits Per Function:** 500.0 megahertz blank and 10.5 gigahertz blank **Body Surface Treatment:** Silver **Precious Material And Location:** Body surface silver **Precious Material:** Silver **Style Designator:** Round terminal/terminals on opposite surfaces

N/a

Shelf Life:

NSN 5915-01-138-9663

Low Pass Filter - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A047b0