

View Online at <https://aerobasegroup.com/nsn/5915-01-143-4983>

Overall Length:

4.047 inches

Body Length:

3.000 inches

Body Outside Diameter:

1.125 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-0.0/+50.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Power Line Frequency Rating Per Function In Hertz:

400.0 blank

Operating Current Rating Per Function In Amps:

5.0 blank

Maximum Voltage Drop Per Function:

0.2 volts dc blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Full Load Insertion Loss Frequencies In Megahertz:

0.15 and 0.5 and 1.0 and 10.0 and 100.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

54.0 and 85.0 and 94.0 and 84.0 and 80.0

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

1 threaded bushing

Features Provided:

Nut and washer

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

125.0 volts ac blank

Thread Size:

0.625 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

250.0 volts at sea level

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0