

View Online at <https://aerobasegroup.com/nsn/5915-01-143-6759>

Overall Length:

5.250 inches

Overall Height:

1.000 inches

Body Length:

4.500 inches

Body Width:

1.250 inches

Unthreaded Mounting Hole Diameter:

Between 0.120 inches and 0.130 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.880 inches

Vibration Resistance Range In Hertz:

+10.0/+200.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.880 inches

Operating Temperature Range:

-46.0/+85.0 degrees celsius

Average Life Rating In Hours:

30000.0

Reference Frequency Per Function:

69.984 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

1.0 watts blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

45.00 megahertz blank and 65.334 megahertz blank and 74.634 megahertz blank and 95.00 megahertz blank

Frequency Band Width Per Function:

65.334 megahertz blank and 74.634 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

67.484 megahertz blank and 72.484 megahertz blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0