NSN 5915-01-145-6071

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-145-6071 **Overall Length:** 1.202 inches **Body Length:** 0.309 inches **Operating Tempurature Range:** -55.0/+85.0 degrees celsius **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Power Line Frequency Rating Per Function In Hertz:** 400.0 blank **Operating Current Rating Per Function In Amps:** 10.0 blank **Maximum Voltage Drop Per Function:** 2.0 volts ac blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Maximum Tempurature Rise:** 25.0 degrees celsius Full Load Insertion Loss Frequencies In Megahertz: 0.0 and 0.1 and 1.0 and 10.0 and 100.0 and 1000.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 3.0 and 20.0 and 40.0 and 60.0 and 80.0 and 80.0 **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed Width Across Flats: 0.187 inches **Mounting Facility Type And Quantity:** 1 threaded bushing **Features Provided:** Nut and washer **Functional Terminal Type And Quantity:** 1 pin input 1st function1 pin output 2nd function **Operating Voltage Rating And Type Per Function:** 200.0 volts ac blank **Thread Size:** 0.164 inches **Body Material:**

Metal

NSN 5915-01-145-6071

Radio Frequency Interference Filter - Page 2 of 2



Maximum Dielectric Withstanding Dc Voltage:
400.0 volts at sea level
Style Designator:
Round terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0