## NSN 5915-01-150-6417

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-150-6417

## **Overall Height:**

0.750 inches

#### **Body Length:**

1.875 inches

#### Body Width:

1.250 inches

#### **Body Height:**

#### 0.480 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

#### 1.500 inches

## Vibration Resistance Range In Hertz:

## +10.0/+2000.0

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 0.876 inches

## **Operating Tempurature Range:**

## -29.0/+85.0 degrees celsius

## **Reference Frequency Per Function:**

24.0 kilohertz blank

## Source Impedance Rating Per Function:

10.0 kilohms blank

## Load Impedance Per Function:

10.0 kilohms blank

#### Inclosure Type:

Encased

## Mounting Facility Type And Quantity:

4 plug-in

## Insertion Loss At Reference Frequency Per Function In Decibels:

6.5 blank

## Functional Terminal Type And Quantity:

1 pin output 2nd function

## **Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 48.00 kilohertz blank and 60.80 kilohertz blank and 1.00 megahertz blank

## Frequency Band Width Per Function:

1.00 hertz blank and 48.00 kilohertz blank

## Discrimination At Specificationified Frequencies Per Function In Decibels:

6.5 blank and 6.5 blank and 16.75 blank and 16.75 blank

#### **Body Surface Treatment:**

Tin

#### Unpackaged Unit Weight:

2.000 ounces

#### Style Designator:

Rectangular terminal/terminals on one surface

# NSN 5915-01-150-6417

Low Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

