

View Online at <https://aerobasegroup.com/nsn/5915-01-152-7227>

**Overall Height:**

0.850 inches

**Body Length:**

4.250 inches

**Body Width:**

2.500 inches

**Body Height:**

0.580 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.750 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

2.000 inches

**Operating Temperature Range:**

-29.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

2.05 kilohertz blank

**Source Impedance Rating Per Function:**

1.0 kilohms blank

**Load Impedance Per Function:**

1.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Inclosure Type:**

Encased

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

100.00 hertz blank and 825.00 hertz blank and 1.10 kilohertz blank and 3.00 kilohertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.10 kilohertz blank and 3.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

36.0 blank and 36.0 blank and 7.5 blank and 7.5 blank

**Body Surface Treatment:**

Tin

**Unpackaged Unit Weight:**

5.500 ounces

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0