## NSN 5915-01-152-8014

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-152-8014

Overall Height:
0.850 inches
Body Length:
4.030 inches
Body Width:
2.280 inches
Body Height:
0.580 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.500 inches
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.750 inches
Operating Tempurature Range:
-29.0/+85.0 degrees celsius
Reference Frequency Per Function:
750.0 hertz blank
Source Impedance Rating Per Function:
1.0 kilohms blank
Load Impedance Per Function:
1.0 kilohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
7 pin
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
300.00 hertz blank and 1.20 kilohertz blank and 1.60 kilohertz blank and 100.00 kilohertz blank
Body Material:
Metal
Frequency Band Width Per Function:
300.00 hertz blank and 1.20 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
7.5 blank and 7.5 blank and 36.0 blank and 36.0 blank

Tin

**Body Surface Treatment:** 

## NSN 5915-01-152-8014

Low Pass Filter - Page 2 of 2



Unpackaged	Unit	Weight:
5.000 ounces		

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

Yes - demil/mli

Fiig:

A047b0