NSN 5915-01-155-6230

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-155-6230 **Overall Length:** 1.240 inches **Body Length:** 0.628 inches **Body Outside Diameter:** 0.375 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Source Impedance Rating Per Function:** 50.0 ohms blank **Load Impedance Per Function:** 50.0 ohms blank **Operating Current Rating Per Function In Amps:** 0.25 blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank Full Load Insertion Loss Frequencies In Megahertz: 0.15 and 0.3 and 1.0 and 10.0 and 1000.0 and 2000.0 Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels: 48.0 and 66.0 and 80.0 and 80.0 and 80.0 and **Mounting Facility Screw Thread Series Designator:** Unf **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 1 threaded bushing **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Operating Voltage Rating And Type Per Function:** 150.0 volts dc blank **Thread Size:** 0.250 inches **Body Surface Treatment:** Tin **Style Designator:** Round terminal/terminals on opposite surfaces Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5915-01-155-6230

Radio Frequency Interference Filter - Page 2 of 2



Fiig:

A047b0