Band Suppression Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-157-2788

Body Length:
3.000 inches
Body Width:
1.260 inches
Body Height:
4.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.800 inches
Operating Tempurature Range:
-0.0/+60.0 degrees celsius
Reference Frequency Per Function:
466.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
50.00 megahertz blank and 416.00 megahertz blank and 516.00 megahertz blank and 666.00 megahertz blan
Thread Size:
0.112 inches
Frequency Band Width Per Function:
416.00 megahertz blank and 516.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
1.0 blank and 40.0 blank and 40.0 blank and 1.0 blank
Unpackaged Unit Weight:
13.000 ounces
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:

N/a

## NSN 5915-01-157-2788

Band Suppression Filter - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0