

View Online at <https://aerobasegroup.com/nsn/5915-01-157-9798>

Overall Length:

1.570 inches

Body Length:

1.250 inches

Body Width:

0.800 inches

Body Height:

0.300 inches

Unthreaded Mounting Hole Diameter:

0.059 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.130 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.680 inches

Operating Temperature Range:

-0.0/+90.0 degrees celsius

Reference Frequency Per Function:

488.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Average Power Rating Per Function:

5.0 watts blank

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

1.7 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

315.00 megahertz blank and 359.00 megahertz blank and 616.00 megahertz blank and 800.00 megahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

359.00 megahertz blank and 616.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 1.2 blank and 1.2 blank and 30.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

369.0 megahertz blank and 606.0 megahertz blank

Unpackaged Unit Weight:

0.100 pounds

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0