

View Online at https://aerobasegroup.com/nsn/5915-01-157-9996

| Overall Length: |
|--|
| 2.095 inches |
| Body Length: |
| 1.223 inches |
| Body Outside Diameter: |
| 0.702 inches |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Source Impedance Rating Per Function: |
| 50.0 ohms blank |
| Load Impedance Per Function: |
| 50.0 ohms blank |
| Power Line Frequency Rating Per Function In Hertz: |
| 400.0 blank |
| Operating Current Rating Per Function In Amps: |
| 1.75 blank |
| Maximum Voltage Drop Per Function: |
| 700.0 millivolts ac blank |
| Principal Circuitry Type Per Function: |
| Capacitance-inductance blank |
| Maximum Tempurature Rise: |
| 25.0 degrees celsius |
| Mounting Facility Screw Thread Series Designator: |
| Unf |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Type And Quantity: |
| 1 threaded bushing |
| Functional Terminal Type And Quantity: |
| 1 tab, solder lug output 2nd function |
| Operating Voltage Rating And Type Per Function: |
| 184.0 volts ac blank |
| Thread Size: |
| 0.312 inches |
| Body Material: |
| Glass or metal |
| Maximum Dielectric Withstanding Dc Voltage: |
| 500.0 volts at sea level |
| Body Surface Treatment: |
| |
| Precious Material And Location: |
| External surfaces silver |
| |

NSN 5915-01-157-9996

Radio Frequency Interference Filter - Page 2 of 2



Precious Material:

Silver

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0