## NSN 5915-01-158-3759

Band Pass Filter - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5915-01-156-3759
Overall Height:
0.750 inches
Body Length:
3.500 inches
Body Width:
2.750 inches
Body Height:
0.600 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.250 inches
Operating Tempurature Range:
-29.0/+85.0 degrees celsius
Reference Frequency Per Function:
24.0 single radio interference two phase to three phase
Source Impedance Rating Per Function:
1.0 kilohms 2nd band pass
Load Impedance Per Function:
1.0 kilohms 1st band pass
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
7 tab
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 2nd band pass
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
9.60 kilohertz 1st band pass 1st function and 10.00 kilohertz 1st band pass 1st function and 12.40 kilohertz 1st band pass 1st function and
12.80 kilohertz 1st band pass 1st function
Body Material:
Metal
Frequency Band Width Per Function:
22.80 kilohertz 3rd band pass and 25.20 kilohertz 3rd band pass
Discrimination At Specificationified Frequencies Per Function In Decibels:
23.0 2nd band pass 2nd function and 8.0 2nd band pass 2nd function and 8.0 2nd band pass 2nd function and 23.0 2nd band pass 2nd
function
Body Surface Treatment:
Tin

Style Designator: Rectangular terminal/terminals on one surface

**Unpackaged Unit Weight:** 

3.000 ounces

## NSN 5915-01-158-3759

Band Pass Filter - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0