



View Online at <https://aerobasegroup.com/nsn/5915-01-158-4804>

Overall Height:

0.750 inches

Body Length:

3.500 inches

Body Width:

2.125 inches

Body Height:

0.580 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Operating Temperature Range:

-29.0/+85.0 degrees celsius

Reference Frequency Per Function:

27.2 single radio interference gigahertz

Source Impedance Rating Per Function:

1.0 kilohms 2nd band pass

Load Impedance Per Function:

100.0 kilohms 6th band pass

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

20 pin

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 2nd band pass

Functional Terminal Type And Quantity:

6 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

26.05 kilohertz 6th band pass 6th function and 26.59 kilohertz 6th band pass 6th function and 27.81 kilohertz 6th band pass 6th function and 28.35 kilohertz 6th band pass 6th function

Body Material:

Metal

Frequency Band Width Per Function:

26.59 kilohertz 6th band pass and 27.81 kilohertz 6th band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 1st band pass 1st function and 30.0 1st band pass 1st function3.0 2nd band pass 2nd function and 30.0 2nd band pass 2nd function3.0 3rd band pass 3rd function and 30.0 3rd band pass 3rd function3.0 4th band pass 4th function and 30.0 4th band pass 4th function3.0 5th band pass 5th function and 30.0 5th band pass 5th function

Body Surface Treatment:

Tin

Special Features:

Six filtered functions

Unpackaged Unit Weight:

4.500 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0