NSN 5915-01-161-9578

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-161-9578

| Overall Length: |
|--|
| 19.750 inches |
| Body Length: |
| 18.000 inches |
| Body Width: |
| 18.000 inches |
| Body Height: |
| 5.500 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.375 inches |
| Vibration Resistance Range In Hertz: |
| +10.0/+2000.0 |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| End Application: |
| 6660-01-148-1772 meteorological |
| Source Impedance Rating Per Function: |
| 50.0 ohms 3rd radio interference |
| Load Impedance Per Function: |
| 50.0 ohms 2nd radio interference |
| Power Line Frequency Rating Per Function In Hertz: |
| 60.0 3rd radio interference |
| Operating Current Rating Per Function In Amps: |
| 60.0 1st radio interference |
| Maximum Voltage Drop Per Function: |
| 2.5 volts ac 2nd radio interference |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance 3rd radio interference |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 threaded stud |
| Functional Terminal Type And Quantity: |
| 3 threaded stud input 1st function |
| Maximum Dielectric Withstanding Ac Rms Voltage: |
| 500.0 volts at sea level |
| Operating Voltage Rating And Type Per Function: |
| 250.0 volts ac 3rd radio interference 3rd function |
| Thread Size: |

0.250 inches

NSN 5915-01-161-9578

Radio Frequency Interference Filter - Page 2 of 2



| Body Material: |
|---|
| Metal |
| Style Designator: |
| Rectangular terminal/terminals on opposite surfaces |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiia: |

A047b0