

View Online at <https://aerobasegroup.com/nsn/5915-01-162-6214>

**Overall Height:**

0.560 inches

**Body Length:**

1.750 inches

**Body Width:**

0.750 inches

**Body Height:**

0.520 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.400 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.450 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

220.0 kilohertz blank

**Source Impedance Rating Per Function:**

150.0 ohms blank

**Load Impedance Per Function:**

10.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 terminal

**Features Provided:**

Moisture resistant and shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 pin input 1st function 1 pin output 2nd function 2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 220.00 kilohertz blank and 1.00 megahertz blank and 3.00 megahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 hertz blank and 220.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 80.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0