## NSN 5915-01-166-5592

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-166-5592

Overall Height:
0.843 inches
Body Length:
2.780 inches
Body Width:
0.560 inches
Body Height:
0.578 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.500 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Operating Tempurature Range:
-0.0/+51.0 degrees celsius
Reference Frequency Per Function:
455.0 single radio interference two phase to two phase
Source Impedance Rating Per Function:
50.0 ohms 2nd band pass
Load Impedance Per Function:
50.0 ohms 2nd band pass
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
12.0 2nd band pass
Functional Terminal Type And Quantity:
2 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
430.00 kilohertz 2nd band pass 2nd function and 440.00 kilohertz 2nd band pass 2nd function and 470.00 kilohertz 2nd band pass 2nd
function and 480.00 kilohertz 2nd band pass 2nd function
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
440.00 kilohertz 1st band pass and 470.00 kilohertz 1st band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 1st band pass 1st function and 3.0 1st band pass 1st function and 3.0 1st band pass 1st function and 60.0 1st band pass 1st function

Style Designator:

Rectangular terminal/terminals on one surface

## NSN 5915-01-166-5592

Band Pass Filter - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0