

View Online at <https://aerobasegroup.com/nsn/5915-01-167-4691>

Overall Height:

0.853 inches

Body Length:

2.730 inches

Body Width:

0.500 inches

Body Height:

0.588 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.500 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-20.0/+65.0 degrees celsius

End Application:

Receiver, radio r-2036/ssq-80

Reference Frequency Per Function:

456.7 kilohertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

8.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

454.60 kilohertz blank and 455.30 kilohertz blank and 458.15 kilohertz blank and 459.50 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

455.30 kilohertz blank and 458.15 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0