NSN 5915-01-167-8506

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-167-8506

| Overall Height: |
|---|
| 1.200 inches |
| Body Length: |
| 1.600 inches |
| Body Width: |
| 0.500 inches |
| Body Height: |
| 0.600 inches |
| Vibration Resistance Range In Hertz: |
| +10.0/+500.0 |
| Operating Tempurature Range: |
| -55.0/+85.0 degrees celsius |
| Source Impedance Rating Per Function: |
| 50.0 ohms 1st low pass50.0 ohms 2nd low pass |
| Load Impedance Per Function: |
| 50.0 ohms 1st low pass50.0 ohms 2nd low pass |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance 1st low pass inductance-capacitance 2nd low pass |
| Input Terminal Manufacturer Code: |
| 03538 |
| Input Terminal Identification: |
| Sma-connector |
| Output Terminal Manufacturer Code: |
| 03538 |
| Output Terminal Identification: |
| Sma-connector |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 terminal |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 3.0 1st low pass3.0 2nd low pass |
| Functional Terminal Type And Quantity: |
| 2 connector, plug input 1st function2 connector, plug output 2nd function |
| Body Material: |
| Metal |
| Special Features: |
| Two filterer functions |
| Unpackaged Unit Weight: |
| 70.0 grams |
| Style Designator: |

otyle besignator

Rectangular terminal/terminals on opposite surfaces

NSN 5915-01-167-8506

Low Pass Filter - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0