NSN 5915-01-175-8327



| Radio Frequency Interference Filter - Page 1 of 2 |
|--|
| View Online at https://aerobasegroup.com/nsn/5915-01-175-8327 |
| Body Length: |
| 2.000 inches |
| Body Width: |
| 2.000 inches |
| Body Height: |
| 1.000 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.187 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 2.380 inches |
| End Application: |
| 1270-01-142-2855 target designator |
| Source Impedance Rating Per Function: |
| 50.0 ohms 4th radio interference |
| Load Impedance Per Function: |
| 50.0 ohms 5th radio interference |
| Power Line Frequency Rating Per Function In Hertz: |
| 400.0 4th radio interference |
| Operating Current Rating Per Function In Amps: |
| 0.35 6th radio interference |
| Maximum Voltage Drop Per Function: |
| 2.3 volts ac 1st radio interference |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance 6th radio interference |
| Maximum Tempurature Rise: |
| 20.0 degrees celsius |
| Inclosure Type: |

Encased

Mounting Facility Type And Quantity:

2 unthreaded hole

Functional Terminal Type And Quantity:

6 wire hook input 1st function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 4th radio interference 4th function

Special Features:

Function 5 consists of one notch filter

Unpackaged Unit Weight:

5.700 ounces

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

NSN 5915-01-175-8327

Radio Frequency Interference Filter - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A047b0