

View Online at <https://aerobasegroup.com/nsn/5915-01-180-9002>

Overall Length:

3.380 inches

Body Length:

3.000 inches

Body Width:

2.200 inches

Body Height:

2.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.250 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

Operating Temperature Range:

-20.0/+90.0 degrees celsius

Average Life Rating In Hours:

30000.0

End Application:

Detecting-ranging set, sonar an/wqn- (v)

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

65.0 2nd radio interference

Operating Current Rating Per Function In Amps:

7.0 2nd radio interference

Maximum Voltage Drop Per Function:

1.0 volts ac 1st radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance-resistance 1st radio interference

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3113h-14c5p

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded hole

Features Provided:

Shock resistant

Functional Terminal Type And Quantity:

2 pin output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 2nd radio interference 2nd function

Thread Size:

0.112 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

600.0 volts at sea level

Body Surface Treatment:

Tin

Unpackaged Unit Weight:

2.000 pounds

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0