## NSN 5915-01-183-6389

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-183-6389

**Overall Length:** 

7.000 inches

**Body Outside Diameter:** 

0.500 inches

**Vibration Resistance Range In Hertz:** 

+10.0/+2000.0

**Operating Tempurature Range:** 

-54.0/+100.0 degrees celsius

**Average Life Rating In Hours:** 

30000.0

**End Application:** 

Receiving set, radio an/arr-7 (v)

**Reference Frequency Per Function:** 

155.0 megahertz blank

**Source Impedance Rating Per Function:** 

50.0 ohms blank

**Load Impedance Per Function:** 

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:** 

2.0 blank

**Average Power Rating Per Function:** 

2.0 watts blank

Inclosure Type:

Encased

**Mounting Facility Type And Quantity:** 

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

1.5 blank

**Functional Terminal Type And Quantity:** 

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:** 

40.00 megahertz blank and 135.00 megahertz blank and 175.00 megahertz blank and 215.00 megahertz blank

**Frequency Band Width Per Function:** 

135.00 megahertz blank and 175.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

65.0 blank and 1.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:** 

135.0 megahertz blank and 175.0 megahertz blank

**Unpackaged Unit Weight:** 

0.500 pounds

**Style Designator:** 

Round terminal/terminals on opposite surfaces

## NSN 5915-01-183-6389

Band Pass Filter - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0