

View Online at <https://aerobasegroup.com/nsn/5915-01-187-7867>

Overall Length:

12.130 inches

Body Length:

10.000 inches

Body Width:

8.000 inches

Body Height:

2.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

9.000 inches

Vibration Resistance Range In Hertz:

+5.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

7.250 inches

Operating Temperature Range:

-0.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 4th radio interference

Load Impedance Per Function:

50.0 ohms 4th radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 4th radio interference

Operating Current Rating Per Function In Amps:

40.0 4th radio interference

Maximum Voltage Drop Per Function:

1.0 volts ac 4th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3102r-24-11px

Maximum Temperature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

6 threaded hole

Functional Terminal Type And Quantity:

4 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

120.0 volts ac 2nd radio interference 2nd function

Thread Size:

0.190 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

350.0 volts at sea level

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0